

Practice, Learn and Achieve Your Goal with Prepp

SBI SO Exam

Previous Paper

Simplifying **Government Exams**



SBI IT (Systems) Assistant Manager 2012 Question Paper

Question 1 to 25

- 1. In SQL, which of the following is not a data Manipulation Language Commands?
 - a. Delete
 - b. Select
 - c. Update
 - d. Create
 - e. None of the above
- 2. The value for an attribute or a column are drawn from a set of values known as
 - a. Tuples
 - b. Attributes
 - c. Domain
 - d. Column
 - e. None of these
- 3. Entities having primary key are called
 - a. Primary Key
 - b. Strong entities
 - c. Weak entities
 - d. Primary Key
 - e. None Of these
- 4. Which of the following is not a type of SQL statement?
 - a. Data Manipulation Language (DML)
 - b. Data Definition Language (DDL)
 - c. Data Control Language (DCL)
 - d. Data Communication Language (DCL)
 - e. None of these
- 5. Which of the following is not included in DML (Data Manipulation Language)
 - a. INSERT
 - b. UPDATE
 - c. DELETE
 - d. CREATE
- e. None of these6. TRUNCATE statement in SQL is a
 - a. DML statement
 - b. DDL statement
 - c. DCL statement
 - d. DSL statement
 - e. None of these
- 7. To discard all pending data changes
 - a. COMMIT
 - b. ROLLBACK
 - c. SAVEPOINT
 - d. LOCK
 - e. None of these
- 8. Which of the following term is related to the stack?
 - a. TOP
 - b. PUSH
 - c. POP
 - d. Rear
 - e. A, B and C.
- 9. In Queues, the end from where items inserted is called
 - a. Rear
 - b. Front
 - c. Top
 - d. Base
 - e. None of these

- 10. Which protocol is used for browsing website:
 - a. TCP
 - b. FITFP
 - c. FTP
 - d. TFTP
 - e. None of these
- 11. Which of the following is a browser?
 - a. Netscape Navigator
 - b. Mosaic
 - c. Mozilla Firefox
 - d. Google chrome
 - e. All of these
- 12. Black Box Testing sometime called
 - a. Data flow testing
 - b. Loop testing
 - c. Behavioral testing
 - d. Graph based testing
 - e. None of these
- 13. The Objective of testing is
 - a. Debugging
 - b. To uncover errors
 - c. To gain modularity
 - d. To analyze system
 - e. None of these
- 14. Choose the right sequence of SDLC (Software development life cycle) steps
 - a. Design, Requirement Analysis, Coding, Testing
 - b. Requirement Analysis, Design, Coding, Testing
 - c. Requirement Analysis, Design, Testing, Coding
 - d. Requirement Analysis, Coding, Design, Testing
 - e. None of these
- 15. The drawback of the binary tree sort are remedied by the
 - a. Linear Sort
 - b. Quick Sort
 - c. Heap Sort
 - d. Insertion Sort
 - e. All of these
- 16. Round robin scheduling is essentially the preemptive version of
 - a. FIFO
 - b. Shortest job first
 - c. Shortest remaining
 - d. Longest time first
 - e. None of these
- 17. _____ is the situation in which a process is waiting on another process, which is also waiting on another process which is waiting on the first process. None of the processes involved in this circular wait are making progress.
 - a. Deadlock
 - b. Starvation
 - c. Dormant
 - d. All of these
- e. None of these
- 18. Assembly language is a _
 - a. Low Level Languageb. Middle Level Language
 - c. High level Language
 - d. User Language
 - e. None of these
- 19. Which of the following is a type of translator?
 - a. Assembler
 - b. Compiler
 - c. Interpreter

	e. None of these
20.	Multiprogramming systems
	Are easier to develop than single programming Execute each job faster
	c. Execute more jobs in the same time
	d. Are used only on large main frame computers
	e. None of these
21.	The mechanism by which the data and functions are bound together with an
	a. Inheritance
	b. Encapsulationc. Abstraction
	d. Polymorphism
	e. None of these
22.	The OSI model consists oflayers.
	a. Nine
	b. Eight
	c. Seven
	d. Five e. Eleven
23.	Decryption & Encryption of data are the responsibility of the layer.
	a. Physical
	b. Data link
	c. Presentation
	d. Session e. Application
24	LANs can be connected by devices called which operate in the data link layer?
	a. Hub
	b. Bridges
	c. HDLC
	d. Tunnel
25	e. None of these In a secondary if there are nodevices in a network each device has n-1 norts for cable
25.	In a topology, if there are n devices in a network, each device has n-1 ports for cable.
25.	
25.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus
25.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring
25.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus
	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these
	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these Settion 26 to 50 OLAP applications are widely used by and it uses Schema.
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS , Bus
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS , Bus
Que	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java, Bus
Que 26.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these
Que 26.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java, Bus d. Data mining Techniques; Star or multidimensional
Que 26.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size.
26. 27. a.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size. Database <file<record<field<byte<bit< td=""></file<record<field<byte<bit<>
Que 26.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size.
26. 27. a. b.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these Setion 26 to 50 OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size. Database <file<record<field<byte<bit bit<byte<field<record<field="">Database Bit>Byte>Record>Field>File>Database Bit>Byte>Record>Field>File>Database</file<record<field<byte<bit>
26. 27. a. b. c. d.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these Pestion 26 to 50 OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java, Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size. Database <file<record<field<byte<bit bit="" bit<byte<field<record<field<potabase="">Byte>File>Record>Field>Database Bit>Byte>File>Record>Field>Database Bit>Byte>File>Record>Field>Database</file<record<field<byte<bit>
26. 27. a. b. c. d.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these Setion 26 to 50 OLAP applications are widely used by and it uses Schema. a. RDBMS , Bus b. Operating System ,Star c. Java , Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size. Database <file<record<field<byte<bit bit<byte<field<record<field="">Database Bit>Byte>Record>Field>File>Database Bit>Byte>Record>Field>File>Database</file<record<field<byte<bit>
26. 27. a. b. c. d.	In a topology, if there are n devices in a network, each device has n-1 ports for cable. a. Mesh b. Star c. Bus d. Ring e. None of these Pestion 26 to 50 OLAP applications are widely used by and it uses Schema. a. RDBMS, Bus b. Operating System ,Star c. Java, Bus d. Data mining Techniques; Star or multidimensional e. None of these Arrange the following in increasing order of their size. Database <file<record<field<byte<bit bit="" bit<byte<field<record<field<potabase="">Byte>File>Record>Field>Database Bit>Byte>File>Record>Field>Database Bit>Byte>File>Record>Field>Database</file<record<field<byte<bit>

d. All of the Above

b. c. d. e.	.net programming RDBMS C++ Language Java byte Code
29.	ODBC is based on
c. d.	Structured Query Language. C language C++ language .net None of these
30.	Which of the following is not an advantage of the data-base approach?
a. b. c. d. e.	Increased security Elimination data redundancy Ability to associate related data ' Programming/data independence All of the above
31.	In relational database row and column is called asandrespectively.
d.	Tuple; Attribute Attribute; Tuple Tupple;Domain Attribute; Domain None of these
32.	To delete a particular column in a relation the command used is:
c. d.	DELETE UPDATE DROP ALTER None of these
33.	A primary key if combined with a foreign key creates
a. b. c. d. e.	Parent-Child relationship between the tables that connect them. Many to many relationship between the tables that connect them. Network model between the tables that connect them. All of the above None of the above
34.	Which of the following is record based logical model?
a. b. c. d. e.	Network Model Object oriented model E-R Model All of these None of these
35.	The full form of DDL is
	THE IUII IOITH OF DDL IS

d.	Data Definition Language Data Derivation Language All of these
36.	Which of the following virus overtake computer system when it boots and destroy in-formation?
c. d.	Trojan System infectors Boot infectors Stealth virus None of these
37.	The relational model includes two general integrity rules. Integrity rule 1 is concerned with and integrity rule 2 is concerned with
b. c. d.	Primary Key, Foreign key Primary Key, composite key Unique key, Foreign key Composite Key, Foreign key None of these
38.	is person who has the central control over both data and application programs.
c. d.	System engineer Database administrator Database manager Technical analyst None of these
39.	An attribute of a relation that references the primary key of another relation is known as the
b. c.	Foreign Key Unique Key Parent key Child key Index key
40.	An entity set that does not have sufficient attributes to form a primary key is a
a. b. c. d. e.	strong entity set weak entity set simple entity set primary entity set. None of these

- 41. The JDBC-ODBC bridge is
- a. Three tiered
- b. Multithread
- c. Best for any platform
- d. All of these
- e. None of these
- 42. In a relational database, this is a data structure that organizes the information about a single topic into row and columns.
- a. Block

d.	Record Tuple Table None of these
43.	Which statements about the Java language are true?
a. b. c. d. e.	Java supports both procedural and object-oriented programming Java is only a procedural language. Java is only an Object-Oriented. Java is related to None of the above.
44.	Stack is also called
b. c. d.	First In First Out (LIFO) Last In First Out (FIFO) First In Last Out (FILO) First Come First Served (FCFS) None of the above
45.	The index created by primary key column is called
c. d.	Unique Index Composite Index Single Index Primary index None of these
46.	In SQL ,which command(s) is(are) used to remove rows from a table.
	Delete Remove Truncate Both and (3) None of the above
47.	In SQL, the CREATE TABLE is used
a. b. c. d. e.	To create a table, defining its columns, integrity constraints, and storage allocation To add a column/integrity constraint to a table. To redefine a column To change a table's storage characteristics All of the above
48.	What is the abbreviation is used for a software package that permits the user to create, retrieve and maintain records in a database?

49. Choose the right sequence of virus stages -

a. DASDb. CRMDc. DBMSd. All of thesee. None of the above

- a. Triggering, Damage ,Dormancy, propagation

- b. Damage, Triggering, Dormancy, propagation
 c. Damage, Triggering, propagation, Dormancy
 d. Triggering, Damage, propagation, Dormancy
 e. Dormancy, Propagation, Triggering, Damage
- 50. In SQL, which command is used to add new rows to a table?
- a. Alter Table
- b. Add row
- c. Insert
- d. Append
- e. None of the Above

Prepp

Latest Sarkari jobs, Govt Exam alerts, Results and Vacancies

- Latest News and Notification
- Exam Paper Analysis
- ► Topic-wise weightage
- Previous Year Papers with Answer Key
- Preparation Strategy & Subject-wise Books

To know more Click Here









